

NATIONAL LIBRARY OF MEDICINE Bethesda, Maryland

Westfield Atheneum,

WESTFIELD, MASS.

ABBREVIATED REGULATIONS.

Any person shall be entitled, under the regulations of the Atheneum, to the use of the Library and Reading-Room for one year upon payment of two dollars, and for six months upon payment of one dollar. The books shall be divided into three classes:

Books of reference, which shall not be taken from the Library.
2. Books for circulation.
3. Magazines.

Two books only of the second class shall be drawn by one person at one time, and they shall be kept out only two weeks, but may be again drawn by the same person, unless they have been called for in the meantime, in which case they shall be retained in the Library two days for the ap-


Magazines shall be kept in the Library for one month after they are received, after which time one magazine may be drawn by one person at a time until the expiration of three months after they are received, and thereafter they may be drawn under the same regulations as books of the second

class.

Every person drawing books shall be responsible for all loss or damage to such books while retained by him, and may be required to make a deposit as security against all such loss or damage.


A fine of two cents per day shall be imposed for each book kept out over two weeks, which fines as well as all claims for loss of books or injury thereto, shall be paid by the person liable before any more books shall be issued to such person.

Every person before being permitted to draw books shall sign an obligation to abide by the regulations of the Library. Every book taken from the Library shall be first presented to the Librarian to be charged, and when returned shall be again presented to him to be inspected and credited before it is regarded to the shalves. it is restored to the shelves.



















(P, 10 de de de de 4





Tre-cote-1 Cantharis 56 Astron gents Capsicum 61 (1) eobstouents 4 Mon and punch. 65 Directics 12 a influrelies Hydric etter 66 15 6 rohines Time 17 67 Dialagogues 18 Alcohol 11 6 melies 19 Calhartics 22 Netrate pot. 72 30 6 hishustics Gart. pot. 78 32 Anlicates Bucart pot. 50-Antacids 35 Carl Std. ~1 ellech. rem viz Bi carb. Loda -/. Irrel. & gem. beg. ac. 8% Interithics 38 87 . Reetic acid 8-2 Hydrocy. ac Bloodletting - 40 Gelsem. netid. 83 Helon. erythos. 8-5 (con. mac. Cicuta mac. Digitalis sur, 70 Ibbelia int. 94 Aclaea rac. 96 Janquin. Can. 4 C 11 Andlia Spir. 22 " Baplisia tinch Veralrum vir. 23 Andersa mernes 55 · Course 97

in the ate with a contrate ling of the bought in where at the same line by ofen derease absorption & he week rested as client for they then to ty to ear derien of terolatetet the contaction is et megin es be all I actual they one inter cent bet en the busines di yl - to poling consected the perting each. The reget it, astruciati ne Heir action le les ci Elpertizef launi 4. Decause tour forms leather with a week ·allunius house themasiles mes palible with anin al pellies as an artech of elect Il legelable a langue to instruction t + i duch en & dynatery nette race of pherene thathering but to can be muched condition i, receive menetion of the intestine? they are weller at his that has ceased

in the dwellerd with my of a mot I hatet. I have rema 1436, eres when you the too regelate astre I acetile of love any useful lea we were on the ease, lace, the reverse who at the inde pour i me con pue son male en en he in the for found her there is alle legelole admingents Chesnit the "a progref to well - Direcuration lilea the mount to be come the fine was with stouds IN case line loss the leaves men paraulie it comes 2 recur pi Eulatura it rot Entrance canal 16 best once her cale this muelice the thereto, " en en dent dykrane en samulen ans et. year - luguian e - Cum trescuerciones l'én vineran, à lu ianis Muistre ad e a I willed cloude there have a race principle, executed in the

the sures as you they have the rest There is to water you to be a last Ly recent the conti However saturated to a recité processaise and they is accelate y teed to. delit on - where Leuse, - Choui Goy 20 lough le monetale (a concluir) leger ve se. place of all conditions of I with mata matin if to game They welcan Freyber will see Ala. 1 since ho willed y 11 . and the gent who werey be en sullady a Butter d'a 1-

factor the consider the secret inter me un angelor, of he a a muasure in Location of through icecon a rain raffection of the other · received as well it tall-unation of the they can fee to reacher willen In disease they chanse as ell apluciense ing her luce less effect upon it brain wer upon any the misens the eld deterition is that they remove ware bluelions ob the lein obstruit It is a applied to endoise to inflamma hon, unavisorala we of the rescera I ally were the chase. 100 aut perperter de min our it autike, teletie anev? 1111 a mile ucha, ar ve. 11, no timora aleval octive dig stice ; a car

apply this term to any remedy " tich produces a powerful impression whom the system - but this is to loose an cefe "ilication of the term". A deobstruent effect may be indean ted at the same time with a stimule or other effect, as with a refugerant effect - but timulant & rifugerant essects cannot both be indicated at the parice time why then use the term stime ul it with respect to the deals truent effect. It is of no use to call merenry antisyphiletic antiparaic &c The United to be abound in des bottom. ent 5 many of the properties of some of them are not generally benown 6. g. The Salevation of mercury hasbeen considered very strange - It it however a part of et de obstruent effect which is now obvious & which exists also in a some hat higher degree in this than in

Expectorant immonagoque pealogs yere effects &. may be either direct or in. direct - direct when not the result i, a destatement agent inderect ite. a part is a general deobstruent effect upon the chole or , in y the whole secensent & absorbert system - Forty de not all act upon every part of these existency A dechatment effect may also be a deabstruent operation while it last, The deobstruent effect is frequently the only useful one e.g. Colchicum Dris. &c. which cannot be usefully employed as emelies & catharties . this, seeing to be a sort of experimention crucie with reference to the propriety of relaining this class. Further in the moderna systems there is no place for the pure deabstruent e.g. Seontodon taraxacum which is put clown among the diwetis & cathanic for mither of which effects will it answ-

And this has probably contributed to bring it into de, use. So of trim articles The destituents although not weakening the rich a the strength of the explere in general if continued for a great length time, of especially if the elebotment effect is combined with one of evacuation None of them however have direct refugerant powers & none have sufficient stimulant powers to superside the necessity of combining a stimulant in cases of great along Itu eystern is frequently to be prepared for a deabstruent operation by being presionsly stimulated or reduced. Cheunatism generally requires one or other or these preparations, but still wither reduction nor stimulation well ever env these disease, . Dysenting is cured an effectually by Ins versicolor & otter vegetable devolutionents as by calone though requiring to be accompanied by opium. The balomel applies to a greater variety of cases

Ovo deobstruents produce stimulation preisely but rather a tome effect is in christly produce a refrigerant effect, they do this rather through their evacuaing powers That a remedy be referred to the clay of de obstruent, the only quality which it is indispensably that it should passess is a resolvent one. (Probably all the deabstruct catharies are hydrogogne. A resolvent power is that of eli, person y & every a tipical inflam · mulion without a necessary wasnalign. In autiprovace operation is that of curary a cutarions desease by an internal remady. Tisentent applies to curing an in-Hammation by a topacal application Cholagogue applies to the meressea 3 secretion & exacuation of bile I have operation, are the foundation , of ner classes

I he most common is best known dealstreets are the Species of Smiley in chiding the whenditolie & another of our species - Comptonia aspil. 5 myrica galea - Coupt distroys fish. Araba vacenosa & undicauling - the root . Axclesaing tutien 2 y yearnata . Arction lappa & another Viewella Canadense, Celastrus decondery Terhales also the Collenson in Canada is of Com inguin & dulcamara but these hor are nanco tic Desertes Rheumation Str Dyspeppin Syphelis your Carrons Cutarieous diseases When plants respected as destruents an Myrica cerifera 3 species of Anemore A. Viry. Xc. Hammenles acris bulbose I scelerating All the species of a relimin I Ation a stantage I nea patriolis Commen macriatum is a desostment nancotic viento inces. I bullefera Ilse as well as Argenon nuxuana

In this, vicinity have been used the different species of xetture (not the exuced & inspessated safe but the inspessated price of elecoction scouter Napellus Strychnes mux vomica Angusture barke se. are acred noncotice de obstruents Chododendron maximum Letchreda county / Walmia to doubles set is astrugent is moderated, tonie vis Uva ursi Chimapshila ar Syrola 2 wpecies Ledur 2 2. Aletis farenose Scerrea Andromedo calzantata Gelomas diocca. in using e.g. Guicicum - Cil of Junifeer several species (il y usin of Copartera off. Cu Jenns Ar Stroles Explications atrons de estie, bancelersis V. mefere These if pushed exacuate , dialea hijs jula (dwarf eller) direction & enetic Cythonium Americanus) salbur these rount suther et mas be derrete en er er egong custortie enche ce. in

Hellebon Gratule off. In versicolar Scella marctimes Polygala pubercens Enjugum aquation (properly ynecifoliam Lobelia syphilitical where are said to be catharlic Lar gunaria belong, here but is not (marcatics) Colchem autumnalis Aralin Apourosa (donthern states & Thy.o. ca elecandria Delphinum Consolida Se. Beptisia tencloria (perhaps) Styllugue en tructica Apocypum Cannabanion & pubescens Anderin mernis (babbace bents) These are finile to the last class preserve a still greater asser bloss of propertie! (Director)

12 Dimeters in crease the arinary chochage Paris, classification resumary in at. il he reepspose, down of them to act in substance upon the winary organ; Notrate of polassa Duly dening to be a direct or (as being alie general deobstruents) inderect ver en after fine, she pure are not always the most panenful e.g. Chrysan humin Sucanthemen Woob of africe pet selemm. Enpolemen purpurent y unhallatur bollinguna Canada si, le juguran + churche, e.g. ... ether betweeter of potassa of octube of sotassu taresté dure lie, e.g. Expressed price of narion, exerciso, Sachen . xm is if when very etror of The land direction lig. Reveral species of Canthuris april mellifica , Several of the essential oils as those of the Gan there procumber & Engeror Canal.

" most in footent are the deobstine I directo, Grabola oft. Deylla march. a . olygala somya & pubescen Fris versic. Spriamating the several species of Elder Eryngin guerifoliur van kum, pute cen, (red berned or mountainelder) The most efficient y corlain sough and article e, Sochepia Suprese egralio histor collect dworf elder this unlike i nest never proves cathactic Engthronine la certa Country mounated in eiden Seeds & roots of Arehu Lappe All these are e peclosant mr. ? I an le porois I if pushed are inetic of catherlie. treat growing are it resin, of bereben! vily these are expector and resolvent sic. Alue, boloamstera the most degant Coparjen Junisperny Jung anstrales so Sang europoea te. Afrie, Canad the oil I snot in set are astrugent of perhates line Hibule, ma undi

quetter set is alar narcolic e.g. el i'cotrana tatour & Declati, purpura constitue set are not emolic ve cathartic Aclasa racemasa consefução tis last and to more active unbra & packy podo I completed decretics muchayes ruses condion, of the system in which is dimeted be an plyed ux. nortice willability with a long without a tong In case of great distention develop will " serale until the water has been de' rathartic & some such nonner the "her elie, probered will not cure the chiena Lety and his private, have not freed describes are uner to a than other even of unites - al (ay) succeder, by manage hant combinato of several certicle, or some such way. Not ali of however energy the Case of officeral alcohor coming

Deaphorelies restor or increases

the perspection

It is commonly said that they are

all stimulants the argument of that increased

con e.g. the servent of H. Mying because

It was bened vessely may not be able to

esset the vera serge

on high enting set years, for door deaph,

aring 8 in good along stimulants

16 Contact in the set . I want the set of all the state of the state of the state of the state of that if and or heary here from 1 L 8

sold when de groups. D'd (Get is best eday led le In the practice of your lake i 1 punce Ve care, where the creat and ey lenzere imppuration (lection , mater . It her than ye I'm see breest high a pace the greatest por ro Metic was of the deres de thray where It system is to sideral aft cled Enythena codemulation, president a ulima una M'e Austrily . Tale our horall 2 measle . Jear to prove rodava) In , " , of in flue witho of the seer · motor de infier de roufs of indlere

(in les to the les. Anne acute delvise dy e leng-se ording valures of the constitute at of a partial lyphu is. Therailery lake Said feere Louising gereat but all the second la sort, and whose of needs le ungenert, more) g precall, in e (etem, som endeller there a speciely july prover, in Mass. they il a ersente of petassa la les la les Therew according to the condular oft I the a a much melder severe disu the seal scur y which only is the melder astrogul of to

glet. I de a more en og & under rakes have placet showing at it teast no so sport capter me - la el melin el men 2. of recognition of educacy for the perfects en men de de mere be eet re a popular och ment, the Geese is amrally reproved! "are sold would not have be Mugarine a y case from the fact a the country being "ere ely at a delance. En frest a mortal bile. In yt article to Alchol , open hat is or now. y strong pression herce su rep lite frat y p pular edi

Tord I walnut of New wo Line of the arrest register Crique ber i d de l me fely place by Lucisho enfopment , Si the Men chine se sa attended with gast dyma.

plication the discharge is sometimes serving when secretion is promoted some time, mones purulent. Useful mainly as counter enclarets sometimes the act of sneezing sering le be useful Disease Ophthalmin belghaletis Deafner, Neuralgia auris of facies Aprifilery de. Jeme cases only of the above ! I must be their very again producing treactly linesis syntoplea also thirst 30. Lobaces is the worst because parcoli Contines are powdered while on the powdered not of the species of Dies I must of Heaculy - dried y but in of Relenum Antumnale. Veraturn album and viride base of an ce po thegang who encesed so times Emphubes off. Sanguinaria. Surpett mineral Calend

Dialagogias promote paleration by topican application house men carry is excluded for its sulevation. is not useful of itself Deseases Aphonia when who bether leeth gums Chewing totacce waster saleva exhum the strength producing anoveria former; " muchands begin with labores. (Freverty costevenes) Sial. An themis propethrum Myrica cerifera Asarum Enropaem & Canadensa Horseradish Lingiber Cardanon Leed?

Emetis - produce romiting independent of laste octour or quartity

Effects of romining is probably non or

less declistment in all cases

Les emetics given in less than name

seating closes except lastrale of ant.

un line ?.

A purpose, 1st to give a shocke

y break who

3 no to increase susceptibility y sae

pare

2° to excite the absorberty y creete

a resolution of inflammation sc

4 to remove so. . . or offerding

matter from stensor

5 growps of emotic 12% pumple vigetable emetics which produce in the effect e.g. Specacuanha Dorstonia contragerous Braziliensis A species of Asclepens. Viola painifleur Bauther the low species of Gilleria the bet indigenous substitutes for spocac. apecie, of Eufshobia these are indicated to remove poison to releeve the showard of optending muller legelable deobstruert emetics use que where both emesi, & devlishment are both wanted danguinaria Apocopium Cannabirum . tralia Apinosa Soligala denega not best however to us a, an emetic. It leaves the stomach & vousely in a deranger state or cyllaismu when a a Canchogalum Squilla." Lobelia inflata I byllingia sylvatica Perhaps also Rammenly glammata the mis litted water no taste no nausea ac ting and landamently after to one 60 mais. a mapin alla & nigra

per where shong consteraction at the commencement of disease, as crowp so 3. Refugerant mineral emetics larbate of underiony & polussa Jane, powd Consisting of 'srater, of and. I live I show enter given at the commencent of typhon, fever bring it on 4th tomic moneral amelica. Sulphoto blue vibrol ammonuret of copper peracetel of copper or verdi Timosi, elispepsia vc. 5 Devolutert mineral emelies The best is depended phate of mercury or tempeth mineral

Catharlie, reserve monato ou croule. evacuation from the intertine, theremy argument ation throughout pecalin upon the intestines los looses . In penstallic maken of the intestines eddere hat I like kept up by the bile perhaps, also the saucrealie is cer & the mucous fluid of the melsting . Cracuation someta be time king pers puller application of rold water to the legs quelon ye. ve te, hend, the stemour, of destinte ithe bowels is very & important. Carparties of now universal use than any Mur chard I purposes 121 uducing 2 it Judden shock for breaking ap disease, neether unlovie nor a louise increase surcestibility & equalizer excite it a disease med at no entorio 4 remove fluids as in dro pay I le unisire poisonon, or offender,

I things board a view in selecting a Cathartic 1st degree 200 quality of evacuation He the part of the aloune canal op 1st at le degree pt réce protié c.g. Lysufs of suyar manna sub-acid finits 2 no layative merely merease periotal act barbonste of magnesea. Ol. Junepens Connether, 3° purgative which also occasion an in cuaso & discharge of mot. secretor Lefs tandra virginia "mostium perf Jula in Totto phyllen Istalia 4 dustien Gamboge Elsteneum

Enotor lighen whise pudnes coperus & continued close harges & went the action i'm lunger in in he so mangred and he operate

1st kiping og a producing fecal discharges e.g. cashe oil Rhubart I chotagoza a bilion, e.g. Waton i 3° hydrazogue on watery discharges the most berfer. Clabereur. Other are Coolin tighing the refrigerant salts A, to other influences 1st nervina allay mobbed with tety 30. Coccule, Expec though cathairs II exhibitate Carthagener bean (Voederea) Your have there live powers an ply In nurcolica priducing prostrato se. Cocculy comes here also volaces to. refrigerantia diminists ether etts of act. Sulphate, of Polasan magnesia Socia & Amount also the besulphat, the rulphites the hypo enliphales Julphotes of lines Phosphates of ale there Phosphiles Hypophowish. Ver Tartiale Belantiales ve compounds with how bases

These act on the exhabity of the ... These ents are aft to produce flater loney which the other referen hy dra gogue catherles do not his a or These culturties are commonly supposed to be smild catherties - yet they are bad in old dyspeptic subjects se. 4 tomic cotharlies vederace barthagen Carthager as bean ticken nut? Polygala polys Alaes Indegenous species of Runey Oven Alur praye & cometine useful in this way 6 deobstruentia Preparations of ner Inin inytotecca ve. Bambige Involve per 1 emetica reteation or.

& it divide when your moderatety Elaterum letacce des cupias Lypiaca lune 3 robin distilio Adelépias Dyriaca 5 tuberasa. , o Emmenagaque Alor, Comminuma najalis (. otraala polygara ne. 1st Show ach of Gan at on which they operate jun boge Lusteum perfoliation - Richer - deplacetra fuen de denna.

Richer Hoer France polygama

Convallariamajalis snother point is the line I'me are cloud a, mercureals along On aliana & poby na there are internediate a, Julapas Coborolista vilan, Cinerca denna.

most speedy is broton grequently about bil of ma, of Euphorbia lathyris & other of about it save qualities Castovoil is quick your buge wish Ela termen he upagerant salt, especially when combined with lastiale of article my con is done in Philadelphia hat generally are more anything, The referenant of chastic cathartic, hovever do not break up alway!

28 athartes, continued elever proper a dysentery. In on hyphon saments may go 5 to 14 days without are eracua hen I when it took place it is do to of a natural appearance theer abused in this country in colonion, disease, under the abduid notion of purpying the blood. - to, abused bu the continent of Europ as in G. Brit. I this country in universal lampering with dates I Calomel an exceeding evel. So also Tocking to Chellenhan 13, Saratoga to say Mac bullock . The same of the samily medicines chest. " he benefit col effects of hundling 18 the evely of nervous aleeses referre be to the sain Source (Mc. Colloch) Case of A lady of thong constitution, who had taken salt I calomed every day since Eyears of age ve. Me. ball. Nin W. Sealt understands the subject clude to it in the Segs of Montros.

socialing with serryming after the prace beer of these of different opinions when the delections and chasefication of defference ?

apisperstres , in topical appendent brilline either local inthumiation " residution a distruction of watalety Purposes 12t to moreuse the activity of the hysten in general by inclution ther. In the pt on sometime officed to extremely, ular organ of the liver in fam dece one large plaster over the liver is to dimende the activity of a par ticular organ by counterchritation. a, a pneumonités. in high entory Con hun dieu or lour along Despute whether they should be applied in beal affection ourse in the recession, of or remote from the places Some say ideosynerally prevents or ob abunds their employment. Tully this to, this is merely greater susceptibility, of her

The serong descharge into a privilent one by an irelation plaster in by the constant puseres of a going holy as orange peel Question whether is every or succession, of deser blasters are best . This depend, who. It disease e.g. hip disease Clearuses of the spine & a. require issues. The openes of the first siliation for most Cases of merron, thouses paraplegia

Carion, chronic offection, of it. He deler

Children must have them much en aller on account of their qualer milobilety

. Heyipharmics Antichla ve. Countered big the operations of porsons With respect to lovecology - (Porsoning is the no story effect of an ele timed or excessive quantity of an agent or other wise improper use he Greeks had but one word gagnakov for both medicines and porsons. (Thing pays every virus has a virtue. Every porson know is a weeful medicine It's not however true that on the present state of the science every porson has actually been muche use of or, thoroughly understood ioning consists of in this or amsation. slupe faction exhaustion or some con bination of these. The deleterious expects poisons coust are the same with certain specific dise, . Inflummation of every kind colic parabysis coma simple ey harshon in all 12

No one agent can always have the same effect have there can be nu specific remedy you any one poison to remove the roisen from the stomach by existing the the block are good for in thing . selsoud also is the lying the duderne and uesiphaging Vully then by le ye cology as pursued by Cifely and his incitations is more by a man of empirican founder repore the dechune of specific portons und remedies. Abound notion of Vila Aneucar ediler that Varage, understand porsoning better than scientific physician, Towning hus always seen confined to tening of ignorance is no, fled before the march of science wel west them of their observe dreadfulray. Orfilainsperie ent, urgus

34 must en ple poisonou, effects
1" acua marcoties is une taking persen, 4 compensed porson, Acrid narcotie poison, produce convulien-'s neuralgre pain l'ineral regelable & arunal porsons Belseminur Helonia, erythrosperna 3 most of the 3 D Strychno, mux vonice 3 Ge of lang we complor 66 muting Escule maculate of the fungi produce rug menetineel cappiour produce is

Autacel, - con bine with and mentra live free acids in it a . on Chimorna Calceo mognesia Roda 5 their carbonates are the only ones Polessa sodo and amnoula forms loctale, with the natural lactic ocia of the stomach which are refrigerent Harrows offer acids are found in the Actorised mustice states of the stormach as the phosphories in incherch and probuelled cases of elyspepsias not formed by fer mentation - which fully think, merer goes on in the Homach Intacid, if over recessary me murely pallealies because they well not remove the causes. Dyspepsia africus to be the only disease in I which they an employed

Michanical umedie, 1st welants 2) " demucents Inlant major velal to hermed or epispastes, or they may be of 3 classe. hal processes 2 m dermale as uchon percuesion acupunctura o main pouring. 3° alvine cowatch melellingter powdered porcelum - charcoal partly a raveller o den iniste, morbed cor preal reneitelets on account of si posicie la con de. werease, the assimilation diremship great discharges. Hence the constitution. of travelley - things ineable in health are hurmlen great activity of the absorber t system hence reduces obesity & harden the muscle, while exercise quekers the pulse I passive under it slower hence the caller in der a disease, of the heart low

benne it after a while with active change of an improve the blood change, even to a bad air angrequently useful just as the storm web thrives best on a variety of food Hence also as well as from exercise the midely complexion of coachs drives Nous - 5 7º almost poculear to the Chinese description of or from Clark Abel. Most of the above writing are of doubt ful whility Employed from the votion. that digestion was consed by tuturaler -I that worm, were to be levigated. I grack of bounechent has employed produced glass gertier & girger which was certainly more useful in dyspepara then the same remedy with out the glass powdered poculain in colic by a branchist

Tood evidence for the whility of powdered glan bos are as thelmin tie.

Anticipaliste of Sither Infolicy
Le borg classectation after their Herica

acid . Lithia of the different kinds of

the 11 different kinds of caterday

Sithia unali, has two varieties one with

caterdi in the kidneys of the other the wet
grand in them. The firmer impossible

he discriminate by a lair diagnosis. Hence

a great part of the cases of great of are ful
licions; the experience upon this so bject

requests, subse

Inhibition prophylachia of lither hiphon.

It is the received opinion that the avoidance is animal road & perhaps also of ferminded lines, presents the Unicased deathers, and cause of the greatest number of calculing in her circumstance according to Fairs.

and healthy action of the skin How the never acid colouling linewater magnesia (gover in heat are upon them real principles the appropriate lethoutrips ties for the rine aced calcular, to solvent a known for the mulherry culculary The acids which defentess it would from endoluble comporad, in the bladder . 1. B. oyide of magnesia & so ap are useful in many gouty case, where there are no calculi. Her ce their shemical operation is doubtinl The autilithic and tothe hefalic mode, of trading lethia " in lestia renaliz where however it is mesty a palleative inot reaching the cause of it disease. Better employ lones open-(in the passence . Deobstruent nor com and the remedies

Dl. Melling , a absent re afring ancel on seconds accounts superable to the trimblancet 1st a, a mere autifakt igli milase o 2 rd to make a midder derende in report to for other wedge, 4 le direit a her on hage for " stout, a, a subshille gor a labelial ? " is of predict fackeling, interalgence of? 6" le promote absorption en paravist un . a ber alex It of these y always indicated in phile, iste rate, no maller that It ocer - x cher at in quality of blegd abstracted should alway) depond report the volal energies . In the not hardrey in dicate, veneziche. I with usesto presquere. Hardney is many 1 de 12 18 y diaslole & maj te te

Then speak of tordness alone commonly man thenit is conser, a lappy of you the blood may depond up a nulegable deathering w may defind when the stor nen with which the blood of Miaww or It deplot dipth of the vedded who which it is usual or it particular distant (bundance of medical lestimony on this subject sum ness of coage fur is concar thy of surgace better indication, especial by when joined with a buffy coat. We must not mustake the regulity of the cout of the arteres of clienty people shore i lalour much in I feer air for general sher gth of action. All desesses are not este phlogist e on an b phagistic ler it i journer Hoodleting is the ser edg to onow - if cornel to , as It cause, a subsequent dropping to. General de pleton doe, not berefit a merely " (lopecal 1 flammation where are Cases also of alonic influencation

it were a profe in tem as felice Henter says "coulets who we the younted Put the quality of actions beding in Angestic deathersis . shough it has bur often asserted; as of De Danforth of Boston ; Durally fulsely however. The deathering of New England Charged about 1805 cases the production of familiess or syn colse by the manner of abstracting blend VI sø newever, except in surgical cases incope should be avoided by placing the patient in a recumbent pristure A punt or punt, & a half, as was directed by Culler vill generally be sufficient of properly supported by refuserants. ubaced parts Cool air to. g I bleeding after casualties. I have England physician of very extensive proches . ay the has seen mere cases of death after - codicary, , , by bleder , har post,

quoted to the same extent . We not entermed and in the and in hat the wilde, en une later of the land to I that it verily at, kills to the service of the acres the A mild ment all proper to me and the har and out the me to the day at a propagant · y we we will end of the free the grant with the en la tinted degree la dont brand to best for you cal. 1 calon . one confer is was produced to the second there we there is certain see. Hat. I lay it was your are and v. page 48 the off

44 On Blucking in orphus 'Dun advecable at different liney for 3 contunies a Good for a Summary in this subject. I'm author advocate it in cases of what he cally congested · love la manue paration or my it conclude that he had not were the practice very successful & et es opposed le his own openso with respect to breeding in a law é en franciation viere are several soits of congestion. Submicion ... lion caused by the a clim of the. heart overfordering the preside of the atries phile Visceral Congestion Caused by the almospheric pres sure overfowering the infeeled wellow of the heart hence in the And bleeding well a crease it. Good supposes that by plany y liable te un into a phlogestic diathesis race as is also the notion. That cauna becomes abours. These two slales of the system are entirely incom to alible

Disease, are broken up in Kein forming flages by plice o measures of the most repeate his & This accounts for the success of lage bleedings in many cases of typhing suc depletion, well product congestion. Hence the greatest bleeders al ways have my negrested of congestion of i) perfete if bliedletting to bushup diseases to. the classes of remedies whose effects it meners, are enimering ralagoques deaphenties derreties cattar lier's: It does not menase the action efall the dechstrust, a was ceen on these In case, y along I denumber, their action nost of the doubstructs act nove poverful by, the tregget in vital merais me high It as a substitute for habitual i moderni bleodullie ; to remedy a ter respect surgentical lisease, posser him unlige pararisin

hounds of the lings train in. It is not the best unedy for a paroxygen of harmonituge of precially if passive In some parts of the country it is the fasher le bleed every grand woman. I very injurious practice Jully has known bow to precessive cases of abor how in our family, caused by this proclice I'm, practice employed in ancurer to keep the vessely partially empty. where cases requestly supposed to exist in many cases when the palpelation was caused by dyspepaia wounds the beat practice in case, of wounds the brain & lungs, to avoid harmunhage à le produce dudden faintress. Disease, Ridneys some cases of nerma. obstrace of partirition from registely. Le produ qu'il etale legations se In order I to facilital the production of this effect, place the patient is a selling posture , males a large outice, plens rive. Great a buse in case, of megnancy many for a women

have had there contible a mined Alen neclient practitues has done much muschief (sur poses le pronote ale ci shor greduce parabismata de. It should be done in the early stoges of should by co " by pourful enetics cuthorbe, to. The estuation in which a person reside, affects the necessary for bleeder, whose in com & moist beheation, require bust. Derumon, persons bear it very ill . To attention, to be paid to the peason of the year. In the Bethlehen hospital in the usain . It was it custon to bleed all the saturb in the spring is proge then in it autumn in like an i westigation parliament was had of all the insure has pilate aufunt of the aged bear bleeding less rectic of inanition, corpularly & layer, with debility: repealed merrows affection, se. See pested bloodlelling,

elbect of the go - secure of dependent Jourse Jourse a the case of assert by plates a rapellet impte plan the party of the second the state of the s - - restably to be decided to to an a rept i multitudes a la superior de la company today a promot by some, but on a long to a let to the in it introduced in of the day day in l'al all call a e flame (re) la and track it are into the god for the way of the work see al and the second your died for her fit + 1 / market have been a series and the series of the series

49 it a Canal vi, . there asked Virginia come i'et all are rear letere und cris-son or sourlet colour ace co slance a . . at preculing le finse is change broduced by mixing the it acid and while is a with the Act the salts have the same medicinal proper be Clerwing to por of the liver regerting in action whose the whole sece ment a de alsorbent syste ... det whom the burach and primates eligestions. Denotes pe et. dose, it is ensite and princelic It is hable to have the storench and in leste es i a wents word initable condito. & herce soushing pure jalus . It outsty, prinches absulpto a duction and juguer the cures when a igned este and le retern. It il petably readeled a far he of oxceles wreezers & increase of secret. . He writte le men trade trale of sangui aris expense led

50 here a sulle express, and he seems the few It is has emelie It will constine answer when the prepart (, the root curnet be lowable in hich persons all sai of the 1st devolution & 2 recid marcole & nete I mitted! (, o A lagage en respersa semmen agressa not diaphoretic, you cely directic simlagoz e but catho tie e copt by the secretion of bile) 4th escin i he vanti provide la discule t Begin with 30 ff & of land. survene to cor 2 flig - 1 - wild relet by Charle Cadey, ya a 1 1 . Cases and as and as another en ete crosp. 1775 (about) Fist & Eld & and i sole, Bosse HITA up entie. Comod & A Botte frol

halcon I , I TEL. · porte more con soline a widout - .. 1 1, 1 o we tree ille to the all the (and my me be well a to depare t decree, la , y , y , y , e a come to be a charge or and et all of the state of th few to from the many the hal you was an in the - che marginish, or it seems is the district of the second of they will a make the weather the the land of the stay bodian e e calsusi V = eli, il. A le ale ast e foroduces Francis and the e ed a ce e ete to there it to be dose one played B a f ye I kin of

à 2 and the second second ile y me extlem in to i un als in jon popul The land trescence spiles di A Degree & 4. red and the in he will in more than I and e Markey ... look a work I train to chora I de ut f. very thoroughly investigated and inger acions to the mily we ale allies - and by Combatter Bon stown The best when it is the an Coul va account has bee (1) and tich es A 2 it all to Orivateler. The Touthe Constate of Selection part and war to the ma jour bul autsephie. W. B. 6. B. vlo tec it so other.

53 and the same to be the same tie summer and e and e and in do and ramet a cutto de I level the ear is the proted to bilay recetion 1 ed 1 col in 1 ps du ed a cosis and alway et at le a . sefue at a comment of the Ve useful as as a leval of action to an in purity of mane the la Cochine to fact back 1. time ide moted of Bijdow of the ile le ufer & Wi wall i de lede & stay the cally it tues of al. sant it is a the ex real of ed , is been you to feel, it is and it all up to not wear of deer to rated - year of the lied orderes in the 2 - storesto To me letter essel, a line la la de la de la financia de la fin well for a nancoti

524 6 energy deste Liger garage the delivered con A to de y to plant last so ey , a had exactly esemble I we the of those ail It I here thouse your per deorst int I amored a legional be in a , a se a year let to Lop's of ford -Virtugo or is secure, ic. de clare in go the soul is he fee a esperation of the as and the wast property we ever e of of the least a cottober for . varound day in nulf of the aticles materia medica vill due to ellet you whele of a physician's process + Mage bes imperenser votte e la colle a as a lage or . It 1-17) « / a Prysician Rebell i en afforded A Not disph etic diustic a eth 's a much of its pose by days

It de ponduce vonde get e le valle Mercira vi, Efficeran in Caldage bee , the came sets of the dience e.g. por ea let and Segui ser get the with he le for · tot sel is it; county . News use lles coletion in it operation. The bark is used Ne tests for ver dose are nauser from the of to request lose, narcosis - of trale to la ce hyd y que rathausi It parel West a die, a d. . . spress An e prostly us a a there itie (W /1 I for use consider it the best on the whie.

56 min renteren perparte t de parale de la ser I've framafin any their achter ein , I del slule, Co ha, goe to the -uz, a fund ounce in 24 hours the hall external objects and the best of the war we will for la materiale de la contra la la contra la cont to a light to when alfrestler a more man - his how - the free and arthur - je etroy, formation it would aline ry elevater le ne, simett, bete belog della a alode, l'el a l . Here was by Hole of is well to the de at

x mency to are at , to a cing, we try · Court of wall, · Elien and the server to the large I war 15 mounte pelecho deed 12 long which some in a day per that curth. I that al a gets le, t. El. copuli, the grown has persone re note 1 thate is not a sen in the man conseque ce o pe very expensive of the Berling i depeter le la come in 1 - 2 g, - https:// It a remark to be some unet stal a design to live Action to the first to the attacked we had been to be a see the her when be many or ell. the thinking be used a in churic her ut Inter access of med to be theet + the transmission

58 year of the second exceed it syster by bleede the it na poduce a de led litato list. He let some these it is use to all . I all to be I he rare that every there is a first In payme a tree them a so are tal-I rien el puedo alse e thated soer, bur ally with to Top a maria ; nelle chare. I marrie applied so the medial It we also deafness as a little of the land of the lan granting wally just on open - is are the and 10 m. - 24 hours white the special was fixed I a the or to its besefit i mer algia - lee - poposed - - pe u a the edepote well as For orland so Par, it her. the next weekel e ede The norten den worken the own to test and the land · - all it renter l'a a del

and the by the sail to a true we want we at the te the de the series a record to a second - - tite of antifra for - Led ay - cto agets of wir de ped a blum. Bushal - when the le marcine or a - c hong or deal. He readed be ul, the species Paruru pare a dellite or diabete, e a much spin - a well is -20 point for Vr de ser et à 1 were the state of the him the him with. Spring t Sufece it custome otest ourse to men t 1 the all the deben to the true of the second to the property are intato To a continue of court. with () F. - 1 ce my - 1 h

600 Come la fa siege on, ine the star and the transfer of the dull- long the le and, will be with your on ran I law culous with the tax ali ar cetape 1 de cian 6; I the Kultarlin of the et. W. long to get lu a de marte la ched in great quartery I the There, it was Eylle gray frider about the ce. I wish make here in the wind I de et ourans ! vin der er / transa listaa some week it, it is a si , meluhaa y a blishe at writer & matter by to of the present the

Capricus - 2 - 3311 1. p. and my 3 - no 11 the bree 15 th 6.6 = - 1 1 pm 2 left - Vince p I me glot a the tela on vici When speces are cutto ated is to a he neft led c'and a is an ide, e m mete i stire adelle aled - to let I the figure to, and per ide of each yield had a store; b to 12 me at in interest I specie, have the are property n'ad, 12, besting the proper the in 2 days it oil is a tared a copy of a jota fertuce we found on the likes of it essel i cicitar plato in lest le le mande le mande parte · a - , here · Car les c ei- the and y les to be crawie . . . at a principle of each is the

62 e, i pre jul il muant. of a since of the opening the a la mitita entopralmence you relate fod order, nor habe to the the will rushed of Causer week meles a mechanity in it were I the the they are in election is inside a liquidal set e a excessive irrelative the sto e is reserved by the one of the statura. sull, does not believe to the the continue of the unt perlity of the land to wison - havelad use of as un entiel. of x 1 e du sarbié a se L x the poda, a brules and, de la su subicacent de 21. m -14 14 141147 the west one with you have it is a dide then a commande a conset 1 mely ex 2 2. non y a dise in deserve to him

- to Seclure on the Cupricully retired weeks, Chimed I some got "ase, 7 yest a laced get Tx endar lance of about a cute recentation you will aser of the wheel theur whish sell the low abone exauther when I aaha maky a tubera mar gra, maky nant made in the hy All pose and pasine morhare e testine I when rucha ricket,) Ale the stummer programe le étremeny lièce al inflammation. . . of ra he or a ca to earl Leurny. His, he in all, told in 12m 20 lunes at ate log bad is first The se era species of. Jan reme i, e ude, re a - te or the torce deabat ents from a rue u - l - begt en elue, you of t, e's Consideration which has her price a custom have any the H a cheartholin Cy 10 min

64 and recent med e el lea : - yepel rea (top hur top electional in a x x 11 dichelinents y tomas des was thee Au play be known see it is as after been end re ded took by an be all te of carreer . In B. serevely This yearner wederming, in war a ile,) remain butter mostly to be made, in the volume og an eidjurat to det. In on in-Chill win professor sweeking · recet of the bale, of so pents mont ne extende by elsey a, where in on last with open in first, next are announce l'abstract le.

· Monarda franchela 1 t. Lat. in , with a la suce, on harme herse ment de glite, nu e sapplied to profinentla , il enarther (As. out , rotalite and sycreding " ment bud and rest y 123. cel (1 d na velgasi the of it was cuality in the st 1 and und linall , -cra your residulary . Pifter X. y all by of alcohol of most con end of good for it, when all all muis haho sust introduced into regular machine by W. Allle, of Phil. Wiene, Allery & ...) It by phe, in the cold state extendely appeal Chesa mon han brisky Et morranen alisa (1) also hari ciaria bluseres g. un y dry ed who to er Coybrnally and ed to the lends in some girnes , in I remain bedomlatera with it it the it, controlly, excellent to

66 (armest commen 1 p. is me oblingate y u, so untel pubably and an ar a, all elle ely den a pre tax des des es tea Il. site in come to the second O there per plurie or trychic I reliioter the must rotable s, air he was figuredy. Earlie rely and Immeline, producer a seriou, accident, pured out by conducted hert lest of its purity meles be its pro. gr. (75) en not floot) if in the less the ed a patent le che solve to de eig will a my efficient use of it, like r sopie of a rough please in these it is the has remedy electralgea unity (ear ce s.) de it dich the ear especially regels suppliete of morphie. It ear being to the lort link to present evaporation Cephalia her ucaries & nonderda . t. 4. Buter externally whiled and suffer t capacition equant Chrea tono on telsion Copt in Asing a de busting a, been restored sully la, tuque it deen a patient roused from Set usey Surodyna Born, grald, orned buth spief annovier, a spieged by on Twe, 1.13. of residulo has alread, whe place I must be so managed by produced refugerant expects? I that alut of the dyplan was la la, we called an enssion : consequence of a) ad der and molent shock. Wine fraduct og the religion iter a

Wine product of the religion iter a

with representate from the route of the

land to the restless and almost

in whereoffe Defrect borts of me

12t a rate & rad again dishere, a catche

adjura, we make a makega (apa), tooper

of the a grant to the post of the contract of the catches and the contract of the contract

68 The me clased raiser of their para , No decr in, acom to fet, in yest er prejed in it is milered by Apprecial i'm reapy the freque my of the I to older I'm jude y deminish, har of the mortilly quick. I de viste, to hear is eners deninities or a crease, sweat then her, to aret publicat and que die les, the le hypother, a deed it to the kiability to many afternalis, se. wythac Eilloch on malaria (menden proder menden urlige ste. ur ahert u legicale If we are the effect, is alone cade, 2 her june i simbable and rear tot (ese) de la torre la

flusho all exercise that all new nessouth person, system, e premlier 20 t of try Specie na 5 gent om are all The of the last 200 ancie nurcelie in bush findisty of the cele na se .c. Its redalive effects in case of inteletility par to are prolate the part reme of all to see the I to be called a lone. Here and open are the just valuable articles soft in and I array en ent Bulsh authorities 111 bil. Cond me white and chellery. - 1, ... expresse, well pled to me set it Grenical composition of it is toricales and the lest exice, experinal alertal, in at bast vile in that an tent. so nor went 1 a laly port of leady 10. 11 Adech of a lettering me, de une dere to have of delated ale or.

to secrit a une alcelet y added to view. A, an out it isseed of the kusent day that the difference , occur to the chemical compode to in which the alcotrol gyldts, the wine, chi-I it comp, we expeciali, w. W. At exten Bet I'd and no ende as that alcotat wie under with water is any then runner than by telestion the Cother, subject trail only a porter. i'in ice exists in the wines pre ion, a lidelate . B. A. Reva der , 11 a celule of tind I porate, unthort elistellation. ruine parks; et heart je, grater Itil
The ist I wowene istal per Mertal another to pour d'el l'aus se. mil defler a, mil go due, fra alichel

elect the me - just - j , , under, maner o vrege all a of me powder of anti- , used as a part the configuration " I the of the plane the surer the alcohol, Id a b har may be udged o , a une state in, a sp. 12 of 12 Off alc. 4.835 Arrack , Spirita oryzae (rice) who deflere in the several sorts of I pust is one of a matter and week ether. in sich in a will accord ore called y ha time new wet light the the state of t 1 Land - dent, in manufactured the trace of the - be being the west for a like the best for 2 les les it is und mark out I dy loy to men how his wall · hore our ele. Bully filled hur ounded with cotton depoted is and

Whate of potassa The must powerful refrigerant known ment to bloods letting most powerfully reducing steem of action ruley thinks it not deaplicate as in , been said neither direction It , wore , 1 tie and deaphoretic in cases or abstructed . is story out one phigistic deature, Sometime, however it has these effects in other circumstances though they cannot be calcula ted when. It is not sedulore creept I'a, celeves the morbid restlessness heat , I dryness of skin, yo. of phlogistic le insis It is not febrifige except u It nie fevers, that is in a small parts of Jevery "in land we except as it releives the texpoof phologishe deathersi; producing the natural Muchange, Very doubtful if it is ever and sparmodic Not antiseptic except up on dead arminal maller. Sucheres there e alenderey le gangrene a het fahlogiste to we i net of course of nitived by any a minac'. Comehina is the mist powerful

archiselatio, wany the leron in its most appro " prout sense, but these the articles are en tody incompatible, one well counterset exercisely the improper use of the other as keenig to be sometimes subsparses. injurious effects of expecient quantities of the article, are conston the lette coldress of extremiles so de It should always be given in unidown and small quartice from & by. le 1200 The lest of be large a quantity is par in the stomach. Sometime, presentin It were, but not in propoder is it experts. Vin conser operation of the external afs plecation on senular l'hose of it internal nence it is used as a letton in phlymoner, dichumation It is glas used as you wilant is tartrate of an line arry - not there we ashould ent une o'het, coldness of stemmet. wehave of tousederable out of land weath for pulse so, te. paller of courterrange is. A cry large quartity ion to and is for an ounce to an ource is a

74 possenous close Orfela conjound of refuy. erating with it narcolic effects an egregion, Hunder In a midico Los purisprudential bount of view nothing short of finding the verticle will guswer. Throw a distinguisher analomist says that the aller is of the stomach and intestines is not to be wheel on as a proof of poison because all the appearances may be at time, fined in unporsoned stomach. They re important in this country where medical. wie brudence is much at we. Remedies - with renet, not with the mercal poison, but the regstable exercis the best is a dose of a table spronful of blogh mustard while is more speedy und expectual in clearing the No and is useful as an acred. Opining alcohol with nutrition. i. After the poisonous effects have not taken place - do not wout, - and in any cade prefer emegis to catharis. In aley p Deribe to the symptomy.

I we refuge un & sexprecially netrale of peter Da ward been undervalued of tale ! Partly fum change of descuse, partly from the Commenced theory of the funduction of heat by the petidefication of oxygen In inch uniter wall it show which because it produces untation sinflammation Disease, Acute mercural physligh a, a lopecal application. doublful because it is an alone agent. A Deproin avent or him for the above reason Openinge are also undoubledly ken to be useful. This also make, the above dowltine. Dyspelson le Wilson (Philips, when his theory that the secon day steer of dyspepone are phlogistic -There is much more reason for considering it exceeding by inguing in this disease. producing for affection, of the minary organs.

Januarie by the French wiles melano also by the ame - very inforbable.

Vinfele idio parine cough a cry doubtful. Venillest is alray wanted in the varieties of this cleavase. Beliopath is heclic - because it is cooling is heduled Very little probability. Fyrochons in this it deer næther hurt nor good . Typshe, graseon very uguions. Caun a or actively in flammalong firer - the most effecient residency up ber bliddletting & perhaps after nansealing do ses of turbale of antinony. A composition of That of pote son tertrate of antimony & Calonel used in Philadelphia under the appellation of This is prougher - it contains toolettle of the tive just articles As a general rule word being confined to set seimulus. rone in flant who to fthe Skin boil, carin by c. Blennouhea lewdy blate) it has been recommended. I inflammation, of the ferrale meast, & of the lealister, is not de good as are late if had. Ilsefiel in phlogeste when matila stile not so good as some the moder of breatment. Clesefullos in porta in all the ontone philogolica.

delive phleymonon, cephaliti, & i quess, Membranja influence ation of the bladder doct but because copains oll of fine se are very useful. In peace himourture have been of lysis but the ushichio to accome huen vertical Bo hay been recommended in harmonleger attention with plettera. Till, however de og mot believe in the existence of a desease consisting of two great a quem " blood. reateurry recommended - very doubtful July is inglined to think sea scurry not a def front desense from land sensoy. The baller legeure, the system to be reaised, the former will generally be cared by a charge of food Obesity which however y better exerced by the old rule mouth always short eyes always open feet always in motion. tellular chropsy doubtine Parura varion, species, including deabeles. Neither this nor any other revely has done much your. Gravel improbable. Sepidosis promoca NOT. invelera. Impetijo lar mosa (salt Theren) I herpeticos (herpes) Lully hus

hont known it do good & very diff and articles serviceable. Nitrate of No du possesses, the same nudicular as asse that of Numaria although office. nia chief is shownlating . Laury other nihab, also. Carrionaie of petassu called pal tacturi.

dal absynthis salt of commend) The delignator from the liveration of the askey of plants not marin then importedly surfied called pearl ashes It must be some of most sharmacentical preparations ! The theory of ets combination with orly framing soup; boas formerly not under et. has been lately investigated.

compatible, all the salt well decompose it

It is refugerant but this property or not as predominant as to prevent it use in atomic case Olso dimetic, expeciall when aided by plus tiful delution, still it will cannot be depende on in dropsy. It diviete power greater than

the refugicaling. Summa mop, most useful as a direct in this . Sometime, antilithic viz. in case, of calcula of the yarthie acid & 20thing Antand a in a . sia still not es good as order of potassium which is also tonic not so good also as line. Not etamelating in less this ten beaupled to every remidial agent. Neither & increased frequency of pulses now increased heat is an en Irot apecifoldely anti-enelic, unless retehen, is produced by a free acid. Not ables pas modec; as no Bey convulsiva (whorping cough) (of me use in theseeral en largement: Dyspepsia remettent, recom er ded in the form of effernessing mixture, which however sperate by their corbonic acid of the salt formed. Sucherine matter, supposed to empair of power . Water the only proper menstruer for it polition. Et common by Rolation commonly mixed with a little chuburb I replement This much used by physician, when at a loss what else to de. Case of

a sempether who had a hourd chippefren from costines en aleared habefuelly by Lee'spill, releved by the brought from the South Votenest used a, an efferreging in I sugar is added it should be dessolved in the Robertion but in the lame juice or else the effernescence will be prevented But the bi-corbonale of for is best jou efferesting nistury. Sarge dose, one porsonous a later. enflowmation te. Artistete, at just vinegar afterwards dimuleunts particularly of an an a oily nature, with marcoties Bicarbonate of potana called Carbonate & luper carbonale à celar pub tartari essentialis I'll aerah, this home is given to other salts of To, not delignesce from exposure to the air Possessey considerable activity as a refrigerant me than the last article. Much use of it as an antacid injurious from the chalintion. July doe, not believe with Echar tarasseur that it pessesses all the advan

although more pleasant to the laste Carbonat of Joda called Sal Jodae - called or converse when in it most impure shit Barella toffleresce, whom apposine to the air deliquesces by heat blained your marine John to especially the Salsola Loda For In in power to the above July think, it not deabstruent. It can be given in piles a carbo of polesia council from to deligenations the carbonales of sod weren must be explosed ands can perceive a effect in jamaice from this in the carbo pol. Bicarl. Loda more commonly called hard enough to build the walls of a fast Inguetient a some specimens of Godo water The article riginally was made of oxide of so dur. . Now, except in N. Haver, it, merely Carbonates outer. The prevailing custom bery injurion, base of a bur prine in Albang. Daratoga very i junio ,

62 11 do. 14 sn. and makes rode fowders with pure concrete la tare acid. , he lastrale of rode produced y cathartie proporting 25 gr into ... Ye do. sedu reidlike por He yelvery anic aciel (Town absent) Perful up a surcote with typing and acid to Lex of dishtlick water to spore man than upon the but animaly upon to it eye in the is side of the month. courses includate death. This or then mining of the Car called in Emplosed, essential sel sure hel small annu Vincture the most contrement form. Cularelain of the leaves are useful as a narcolic. The leaves are used for their clavour, in cookern among the Englis. & ha, cometing in burelli at your tota,

Cerasus Vorginiana has the same proper ties, probably, in a less degree. Gelseminin, (Apocyneae) The effluria of the slowers are said! in Ellert) Sometimes to produce stupon) Tilly consider, it as a perfect substitute for Byder a acid , of fee from its part. In phlogistic cases it would probably like the other som le marcolics do neather good nor nurt. Never produces the calm placed pleasurable sensation er niève and vakefulnen of the nervines. July has always used the twelve I oa bruesea rook to Vjent of alco. - moceration a week. 16 to 20 mining from 3 to 6 hours beginning with small doses & more until narcosis begins to be produced is, there continue the same dose. It is well frequently to conjoin spine met counterest it habilit to

to produce narcosis, Vrobar all the stimulants have this power. (Fer hops the failures so frequently complained of are owing to want of skill in Congrice Evel effects - marcosis merely wheel. may always be releved by the eliffusible stomerlants. The best are Alcohol Monande bunetata Capsicar Spt. Ammonia hake use of of mapking wet in cold water a splied to head , & of friction, is substaction by the monarda princtate. Case of a patient who look to dos, in rapid succession, The very distressing symptimes were immediately releaved by brandy is in 12 hours the patient was as well as before. Case of a gerl att. South chied in an home () wases Bey vacion spec 1 Pattisis exacerbary Acute is subacite the

Colonias crythrosperma - 4 pur marcolic yet differing materially in its effect from the Prissic acid & Gelsemenns Letter from Draws of S. Carolina . 44 gest the eyes making them supple e light in an extraordinary degree finally 1. 18. All narrotes appear to afiest the Done produce dunney . Vome delate the prefer Commercing dose of the line live 10 min in his, commonly found from It to Its mining necessary at interval 4 to 6 hours. With respect to most such article, physician, are aft to give medli-Ce dose, of their Condomn the article Sew of the nevoties, except o in chreates produce sleet

Chloute of Polassa Cynumali ! (Suf. Ind) y right in dagine "has it deminishes the heat of the skin Sefether limach. It diministry or at least does not increase enlouice deathering and to where Chrome hefrally which werer does not exist, you in Dyspe-Lea occompanied with buderness over to lever post modern examination nows no u flammation. and to be capable of curing sines xyphily cen doubtful sud " good for cacherine, a loose term which may include one there of human diseasey. July believes it a weak refugerant, of no great value with out further extrement.

those which exist in a five state 2 20 which do not \$30 those while do the products of de composition a last are the Berzone & accomin & · ale Nervine, Acetie aced - 4 states one of the is Excidence actions pryimmation or syrolymen, acid. Common vi egar is a cedum a cetim unform The importies are various a coordina to the liquor from which it is made Triquently found in the sup of plant us typhina, Vites omefere It is a pure refrigerent proper only in Carrina. as be given diluted or a. combination with muciliage improperly used in putrice inform to releive heat exides about the month I therst, which do not require the best mut of we med acid, we a ed, a, sulphi

ric & notice Though it is often given A to humon nurses bystanders and ac. Sand to be antiscorbution But this is loose and doubtful for the vegetable acids pure do not releive scurvy, without regetable mat in sety or indisciently moloved it does nothings if efficient it is mischierons. Useful une condement, as Intell also

le se tied Congra a la la a ... Constant ing to they are our state of the state of of the coorty in least of mile miles and come of the first edr sterre to 2 + act. The to e sette, you a' intig er saled price 2nd end . + Co e ded je ce i' sejarated la l a consexteets ully way quat reliance upon commence and Prom in Myspe for a it i melut i per e ma egrest le re. If wed commen & were with veri en até intystépaix * + y those to the to get a 1

21-1-1-1-1-1-1-1 brout moutalu a under the to taller or the 1 / c y co ce cel a the second of in weit a Interpurpuen purpue a e c'hialest u our go de us a unicohe dechaliment dedical les tricing upon this article i ceeding y or ladicley welly denies that it is a a stimulant or refregerant the by In supposed shlogestic cases is degetale, bay been thought a de set te fo ble detting were enwet by wet y cases we che sté according la ville 1 on they ble gestic at the outset at a had at the last & though the

n ch better without a 4 glastitus : to ets are The cotte I'm dec sur a pat of the est it; uset at theretic and discuter t and the section of the section of epert e bace say, hai delle; is not profee eneft wente out to concert to the way bed in the by today the come ! Unfor let v. the explene in very lie 1 in atre caused by excelants in order to aleneligities to operate a if it i my it must be recluiced Get the a red lable range met in il neiter anacessary (au) accort france ich chès in ich a in the last of the · a che e of in etch in the inful to allow in I id the best to it of the a see represent that " I fur is; to a l'esté wall de la la

interest and a second of the second · ne « seutic aptierator . . suf a ree-pould unt e. . L'epigas "c, rous & februti è up plo a degetales he, were used to aller at these syr plan, not a go de revere es actaea y it omen inded in many case, of close gh accom samed with destroy of iso is it iseful on many case, of he ile ideo pathie cough. vest to sever a y cleary to opening so. The si's cough especially conjound the assence done runs of the I can ten - of wing herdy , if then this a lide is my be see the hast of the aclase & so or ier arlich, are better I has been sucommended in manie d polably may be very se viceable breaking up the parryong 1.16 actice of attempting to do this by

, of se leeding , generally back because If lood usuly are affected by the mud a d not the mind by they by I essely of the continuar ee the practice may produce guturty () egitati og a popular i redy take in ale amor he states hurch about to years ug & first used ite in droppy as a blumetic righently the excessive distention of dropay all present It operation of dicker while it has been educed be furucentese, or hydragogue Contaction especially cluterium I the etics can be defer 'de upon me at we but egg enta the others we per, eners to be the most sure which vully ha used.

94) hua étala 1ª 10 set e 2° de strent effects it is a hard wette l'etic: «inlago jue que fuf 1 em inagogie. I to published account exal of it belower, effects. whe first recount was published by the . Son Couth 1785 it has been a prosped it point in way, where of the wer po injudice. Include, sees & huchere of the lee e " y. of recently dued leaves to 1 port of purit macerale 8 or 10 days isases - Limosis dyspelasia stand we here is great insusceptibility i ple ider pathie con la considerable e ich for, while . Often very efficacions & sort of cough to which public april and so ca are subject it is someting sequel of a cute diseases, and is al ay occon panied with more i less dy sea nich will be manufested to to the congline follows who the at I kight a var ale stor of the self 14.11, acco pared, these was the

Bu Be conver a continue en h le secondary tages very useful ally has not alwars proceeded with at (Sysperea iyacerban, como my called astt ne orgalispening at I doses of a leas promple ice in be all is only a tot It exace bator close phas, extrem M that narcose, and , von ever . Highly expected in asthme wigh no certain because the dissale is none el l'ale the process are just began ing I leave that the welicle has 'reme lead powers vully has no don't that in Bulain desease, In scild to smaller doses and less effe cut practice than with us · a base is been reconsended Energy though it in been rejected upon worthe principles. Cases mention a in i ch its tradicis les abovent poure, has see y crossable.

I have encommeded interestilet rightly of sed it I be les is comed the wash . I. comblet of his her made will the to they kny actall i cuple it is instead walken to diental 1 12 March Anarcotic de destruent-in large , this an emetic sully thinks he is seen in Chied en on de ate en 2 It is effect produce to article it may be pershed so far as to produce re algre pair, I by extect man be a eve to giving leguid food: or it may be ehed after it has taken place by giring here is much ende ce gov its ing a parting accelerator in ilar to de + · lesmo els my to exect le it develic alle despe etic perulia wit is it should correct t as le Very because Ky file the e toil is the achele only were duf a de de la constata d to set do le - me do les.

e un the hand the to you he or leed in eluca i semile, digetil; i vet i it lie from it later not ager te a right a ster and sudderly the et work here creet tief ar not hable to o'ccer of strates reluen is it will be reduced. le marcosis a more casely remedue retare, uncer rer aleie x 20 h is odie pains dend is exectis mable as a lest of the weeks of the purties oc us it it esse ses nua bobo ent, Votuca depters from Comme in their to ale to me of peedy y clare is rust chome rese t promos de laco in great

go a clock of a gies or resolvent por en a Actor & a a a Come . may made indirector leath. de & fort. Comment of a clave suns to be now expect as sentte I have surgui a in a d Carping ass were the cure "lass cable than when of their to real to the ich and i letting i a de ai sa c elito The ratery we ranktions at the relief some years thout discore que acotic le ve, a et la 1 p & Aiche p. p. 82 Itedum dose of ale. linet. / 3 so mee in 2 or 3 hours

Materia Medica 183.1 82

Per e Meride & Diproto nelale of sucreary

der Rule derbetrusent planier, are Leanto de la Rule de la describe de la facto de la desponaria orpic.

L'all him, a large quantity must be used they restere, or any set they restere, or any set they dealed abrused also sweet uns of the blad) mer often called abrused also sweet uns of the blad) mer often called abrused also sweet uns of the blad) mer often called abrused also drinks, from their being se and all describes of decoclicies on large quantities and of the spoiled by decoclisis has ver eig. Son-

de la cee plana du mantie es po . I. y S. in sh. It I. Ranfor proller produces none I intere plec. Aralia nudreunte, go racesee rect) Archiping believes of a corn erclu Cappen of dordare! Foots & Deed,) + urvilla luter, belastru, scarda, I able to en car allersa, I la un chelcar ava (has slight , seasely last orancetic from properties) sa are used . Meclic, lues, bucremed then lies, letter vanisher. Saladese, werex pecies tocpyesis . Lequely of I sem atom in dija pepsie Acrid Cheledonium majer Daphow The Lever xc. Herew palestris Roman vie Anenones Clemalides Mysica Cerefera Low meld narcolics, destelate of acreromy Fina pin Monin, Cector 5 parolablythe Jackery 5 tacrid narcolice they do not weline to the terr acrid y 2 sed to deviste this

Malnie vor 20/0. Rhodade-dom 20,5

(Acomilin ne peller, Abrychno, n-4000) Astringert Cher apt. Una ursi Andre Helonie, divice is the clamar of this, Aletris farmose (union root also) 4th Evacenting Il. 5 resin of penns Abier, & Copaciera off. & Junip. medo & Guaieur- off. Fris ressie & prise - Polygale Der ga 5 puberces Dquile, (lon Hogal squite) Grahole off. & belie defatilities weary allied & Lenege 5 better because to letter de runger the al. can. Helleborry ? 2 /a. Congregue Veccatolin Surgain. Varatrin Spocijin Svalia spinosa "Thy bolacca, Colclien, deeds of Dalpher is . Cecculus Endreus, Stillingra sylv. in herris . - Veratron - albur

Universal Hyarian. Visu, stone are pt alian, sines essif the month, whereater in of the skin go Different persons differ in susceptibility. The same person will be must more susceptibility after a previous so leve to extrecelly if recent. Deeth set on edge is an in ciforent yn fater Indinantly there are no total consequen ces Wer hey occur, they can sest of cagies or the just , slough when of the wise the, to -" list of the teek, stiffner, ; incurvation a the limby extreme emaciation oc. se. The treatment is in a good degree e sirical. The question as to treatment seeing to be, Nat wall do the most goods No foundation exists for the opinion Heat In mercury is deposeted throughout the Sulfaher flowers have been thought a stricitio - nonsense! The only two comhours of mercury of sulphing or one 'a brilliant red you black gloth usolTuring, as such, Prof. T. is confident, dur no good Of Finlay of Chie History Francy becared by antimony. Others have not succeeded by it. Farsuparille is much used - a quart of decoction, a day . - is much used in J. B. - undoubtedly with benefit. much use in our country Astringent lotion, of gargle, and in not used. They are useful in the lutter stages In the first stages resolvent per edies see to be must needed. Seed water his bus been much a sed . The testin ony is so Mong that Pool J. could to It see 1 secull. I strong whiting Her. 6102 4 rules ofmit sil. has been the best article potassa y an exellent totowar stoppienter, by Fort. I Eyespen vulgares de och-Marien is stoon of recourse ded strongly. b's min eval acides and recome a de

Aucilages we very greatiful g acoccier + the lat. viole pedata - San ous austelles wort of nie sleavly strange through a toagakanth hibiscey- alther Soch. I. would try querine Melle porride is the most greateful deet der Erdel & fre " Erythismus hydrargyratus . Erregular action of heart of certains, pule counterrain exhaustion of strugt conquety in epigartotier, sighing, quick en all form. toties is termittent pulse - tengue not Lurred. En this state, sudden exertion man Treatment - A steady and much regular use of moderate quantities of Epin of quivine with stoich rest En thence hydraryyrature. Vide Ford. · resecular en fotion though like a care o' ille over a magnetier nay te needed () mate) Tolf I does dot bewe he spreading from the Corresen

Ath discharge ! Corticions upor Batemais confounding Enghana with exacuse. rash erythere being vesicular) probably incorrect in saying that it may be caused by cold mirely. eten en groes a very full of perfect accounts of the rise & progrey of the discusses males - seething . Cathartic, too much wed - blue pell proferred . Doit . . objects to protoxich (blewfiell) as being extremely incor in Emperfectly one of red) 3° astur persectly oxydised is in no way profesable he cale a al Et is mulder only in Consequence of the dinunction of the dose in Consequence of the infrir pect or ydation. is of I distriction led some of that perfectly organized to his friend e g. In Rud leogravile Todd &c. They all declared they could profer we diff see -

It will combine a to the lockie acid of the store

Dissipare The . I. a thirty protests against. to fash con all stacker of whing nureury in did selesia! Even when the liver england, the harden soft is injurious. I he use of wer. cury occasions tenservers of addoner so do. Even as a deabstruct, it is inférior la other wrticles. Occusionally reserved as a slow purge Colice Eleny (comm. col.) Efth utmost a sortanced nit as a collustic for the, is of in con sequence - the disease contesting of a suspersion of the peristattic motion - Com her ce 1 A opium of continue the 2 se of opium butthe cal cases the disease It were produce phalism. It has been giver tott amount of "idran once in Ghours worthor to this effect. Colice Rachialgin the same with respect both to open gnercing Co soostasis not the best article Churcheen purging will care the dis core by strong a pression - but the prace tien a foolista - netterly mapphicule to.

101 ser re cersis. Chetera . Generally the phys. is called too. late to allow of the exhibition of calonel In the commencement of the desires it is useful as a deobstonent Melninthia accar. humbre. - probably the best cathertie. The specien ought to have been given for the list 12 hours into riarcosis is produced. Then give the cuthertie Senna is an extremely poor verinfuger it purgutive operation is not of the night kind. In the other species of invermination cul is not the article Even a this openies trapentin oil is a for better article, but not som un ageable as Aprilia 5 cel. Maundia Parging roth cal. in the early stages of the war of cholstone by of your importance leal is inferior only to consum in this disease. Eve it also toal is better as a boost measure than vonti

Comeling is apt to poods ee somey In the liver of irrelative fever. This calonel treatment of furndice is not the best. The zellow colour vile oemain - and his may be removed of we treet with comium. Cal. is aft to produce pty ulian Paralusmu cracture. There is but one arter better than cul. There is an impression that these must be cared before attacking the intermittent. The in term. may be cured without ais histing the paralisma. Comun vile cure It disease in halft of cul. Corysa a certa (emproperly entorica of Good) Colonal & opina will cure a paroxy as Theres 1st Entermittent It is an quet mistake & suppose that we must always begin with pur & wounding If culturities are indicated, colonelis much

the best - not in a drastic dose - nor con lined with other cutharties Remittent - a disease internediate between intermittent of continued fiver. Nome cases approach nove to un attent of whos more to a continued of 5th nearer it approaches to the letter, the more is cal! mel indicated . It is slowpurging that we need - not small close, at conrulerable intervals - not quick & elsus tie for them we in crease invitability of coritation Typhus infantin - absurdly called infan lite remettert & worm fiver. Purging with pure calonel of eal in small doses gat regular of short intervals. Et is well to conjoint I wilt and invitant or with ofa-· Non malignant very typhy. The best article for paromeing a resolution, provided you have been called in very early s also before it patient his purged him self - even 3 or 4 times with custor rie.

But it utter in a sught if fell dose on in en all quantities, so as to get a full done. the course of 12 or 15 hours or conjoured . It speum. Mal. Sipecac. e, an er celler tiarticle for the resolution of fever. Other modes eig. vometing, purging, kireating, se use mire hable to fail thanks succeed, This mide hus succeeded in sout of It cases h July praction of core resolved more easily than epidemic. Turge no more than to remove the contents of the al.

Disoude of mercury (sub-oxide - black oxide) (protoride Actiofs, per se) pulvis hydr. aneseur. oxider cineraum is a different compound Mode of preparation - vide U. S. Pharmacopoein This process is very exceptionable Du aporth. would require near a barrel of lime water, in order to make such a quartity up he would wish to make at once. It is beside, uncerturn from the uncertain composition of the line weeter. You will have a surestone of carbonate of line or of calon . The ger of the Phil. phan is the best for a chemist viz. Cal. & court pot with 1 pt. water Take cal. carb port equal parts to every troy or. add alcoh. 3 fl. or. of wat. 1 pt. - Boil in a flask until there is a copions black precip - wash of day Blue pile ile be morestoor g'ui presention to the quantity of melettic nearcury contained, which is enterely inactive. If it is made with conserve frages or west or we shall have more or less of malate or gallate of mercury

Light be composes it. When made into pilly with any article, which contain combustible matter agreeler or less elegren of decomposition takes place: The mercurial ountment Prof July would relain, although there is more or less uncertainty about it. But the bleer sier mals he would utterly reject. Still this black oxide closs not differ in its Mae valion irom cal. - vide above whom cal. The physicians to war. I T. distrib. contained acide - probably from the formation fa salt-tormina followed it administre. Fort I would use the black oude for Hose the have a prejudice against calonal I for this purpose only Cal. sop. is better in most cape, for producing a mercurial action, then the outwent - still not always .

Black oxide macerated in Nitricaced for 24 hours. I shoth white powder It is between 3/3 of 2 as active as calonel sought to be substituted for the blue man This, the di-prote nitrate of nureury or An dis nitrated dis exide Rys >-Vollenes - Characters Origin is from been talt springs - Tosteran isona Treit chin dulada Atripay tolenopodum Deparcy bellower vider telephine 2 In The cryptogumon plant wetmuch more numerous Forces resiculary de. It is found in Loofstyte as spronge in the genera venny (clam) ostoga (oystas) se. several nollyce. Probably which hates & birution with the other elements of the plants Tolutsa or oxide of potassim probably is pro enced by the wieneration Operative eff a Moderate augmentation of the afsociety of digestion of operational vigor, - perhaps the, is merely the effects of its al-

brution of disease - 2 ms resolves and glavelular enlargement is of the thypoid the overies - the testicles & breast 5 Spedotic of elly) cutaneous aft. 5 acute subacute & choose oflammas tions of an arthritic character expecially) - increases the cutamenin - sis paid to denuneal conjularey of fatter the lean An overdose, will either be through off hypometing, or producy an abounce exythen ation of the mucous new of the fances of the fal. canal. Wo Tully gives a teaspoonful ofthe sat-It is said to have removed the healthy female broats of male testicles. There is of no good evidence of this Majendie & others who have much used it have seen no such effects - Ellestan of England hay on sloycelit very much ge wen for it months, without anymony, when and disagreeable effects were produced, him evely suffered it saf-Godfood has had it produce a resicular infl.

All the injurior, effects are seed to have happen ed in Switzerland, where there was a sort of mania for its use. Prof # J. hus used It very much 5 hatenown it to produce no ignown effects -He has known it frequently to relawy a diseased 5 not to injure a healthy testick It is said not to be so at thetherf. st. for. But then the presoners there are dystletis ir cachectie. One case was that of a fur guy have atodes - The other tisk remend unapaired Tedise is not a stimulant - i. e. not producing as a quickly diffused 3 transient strength ofaction. Iti, a vilat irritart - capable of producing vesice managed it is neither sialage que expectsrant, deaph nor direction. It acts upon the skin, but not on the way of producing duplossi. It has attestic props. Ex your known to be cholyegue

Podine is then 1st deal. 2 tonis 3 sear 3 rubefaciente or even resicatory. It devolutrusals operation, are 1st resolve 2 ne artiphoraic & emmenag 4th chacutiers 4 pur should always be conjoured to counteract its tendercy to produce contation. Opin will anable the patient to bear more voding garde not more to operation. Horosey Commen of por other marcoties vile answ Greets entry or along contrabilicate it. When used too forely or two long it is lack to produce physican pain of teeth signing, absorption of glands pain in interval euro vertigo, sense No doubt that glunds are absorbed by excessive use. Inflicent warning s given. If persevered in - a dry court. sheepslasson disorbason pinulysis preupron convulsions - deat from excessive workston. Care of eigning lady in Faris whose youther

was reduced to a hard knot The knot us not cut out as it should have been . The iodine was not discontinued - it produced excessive voniting & purging with an envecration such that the stights were not larger than the wrists in health. Evertually jecover - ofser. buttons recommend depletion of blind cutturties of neutral latts se. a strict ly be deduced from the expetitions On the contrary they indicate artism. turts & moderate stimulants, our pour con & institution.) for the extreme exhaust main writele. There is a projudice arrang the people, desired underbledly from physician I that opening currently foulliate, of never cure disease. It is cupable, it properly managed, of curring as many disease, as any other astes. A British author sup that for gustredynia medicine is of muse with the exception of the une given in execut quantities. It is idei 2 athra

queto de wie which is here speken of to injurious effects follow Daynolous effects collen only it size of openin wherethere in desease is where ofcourse it produces desert. Many in the Senate A the Bar sc. are grow strying health & comfort The author however, Lays trope . Leens to know ofun made of usalog at lent to mice & franoxyse. but the disease may Ke radically cured even if it requires as it has in trop y practice a year sa Talt. This is a desease not of inflar mation but of irritation, though after a ing continuaces in

Thurmaceutie prefs. Pure uder e, inpile . Tinche Eller Contract & Plaster of iodine. Majentie's forenule " to be alterly desorganded, on account of the different weight of the different stongt of their alcohol which is absolute alcohol a substance which cannot be staired translated without reduction or some reduced some grust others. The for truth is the French pharmacy is loose on the mudst oftheir vast amount ofscience this is a great deal of en princise / Grugewin is supposed to bean edim close - made say, or ext. glycesol. Divide one gre into pills 5 give perhaps 1 if necessary. Sirch made of sp. gr. 835. (Take a rial of a know weight - put into it 1000 gr. of distilled water mark It height absorbed up to this mark should weigh 6:5 gr.) 1/24 gr. of Judine will sat. Ifl. oz. 20 min. will contain a grain of this to a medium

120 or 3 hi er a day need to give 15 min. on 30 min. or even a fl. dr. Ellestson has in. creased it from 5 min. to 2 fl. dr. It is said this linch will become weakened in constablisation, if it is kept, long. trangeroby, this is the result of carelessly stopping the bottle of suffering the alcoh. to evals. Other of iodine is used in France contributes nothing, Throuly possable allbuilage must be that of having it a ... more highly concentrated Girls ent of voline must varyin strength to sout the pateint. To 102 of surph cerate add from & a draw to 2 do of iohin Put the scales of codine into a wedgeworks moster sout it we with a price of cerale as big as a nutney, in order to be sun of pulverising the irdina. Hor parts, as the neck, exposed. to view, we should use an outner to of todide of potassium or sodium, which will live no stain upon the skin. These indides have In same properties withy the isolute Iodine. The plaster may be made ofthe sun-

strength as the same strength of the best basis is pure white pin resu. If made with altherine pluster containing had, we have codide of lead, thich differs in proper ties - perhaps A Hydrodic acid bitte known of its properties. Todice of poins. . called also Hydriodate offsotussa. It seems to have in advantage over but pure vodin , but in laste, 5 in greater robubility in water. The may see Elliotsons done of from 1 gr. to y's ofthe whide of sotas -The world be better from their not delegercing sc. Inther; pome deranista a is changed to brusheal and one course by de St by dyspepsia neglected cold xe. 2° verumous er heberentes 3. Ewelen ale, plothis Begins an percy let 3 et last ater aboce so a pernel 4" in the runish it use to sed in the books

y " " " to touther protons el il wer we have the begins with her - . this horized mure france to so finally reclic of the in 5" Saryhyeal Misi, an affection At the chance of the largery It ling is take, not affected. The wice touth, t. dhays hours, fulul. It's con nicled with a stone our habit It a re grad cases have been cured by Brera I by Grall order of Form. Ly by rod service The difficulty is in curing by containbelieved renedies. There wered be little Officially, if we could cone at the basts I donch with pulsate del. me corr. Aul. men brampie hysteriti, has been cure mi udine v commen Midne erteretig struz sa (enlarger ent) 1 4, been cured by it some Dylecteria Ironce (eventled) The on en were probably street our alcerations

very a property called disentery, which is ne ver probabel abysectio Arthritis podagre in france externally in properly!) Internally, with great success. (Prof. 1. would give it is least, deser of timet. For bling a day de ring the paroxise but not continuing it long Nodunger i her Megster is occur presed with a powerful disease 1. While swellings of varing joints our there is strumon, intt. of the body of the lar. trage, & liquients. But have been cured by wdie, especially when applied external 18ti, surprising how seen the desease may be removed let it be administered in congruection with comme internally & externally so as to be rulefucion by ever residatore. Buchenia Indice er Barr adore, swelled by, would probably be cure Les indire. And frij J. hus cured the, re pertell of arsenic internally of ourtrant of prologide is cereury exterior

1214 Curcina rulgari, not Surcoma Achir Inhorum . There are several district disease Called Carcer which peser ble earlott a withing but a terminating in cepha cedence ilcer. I'r Cogswell ha, cured reveral case, of unequivocal cancer in the earliest steges by contract of weline externally & comin. 5 cros internally. There is no doubt that concer may be absorbed without stough. ing in the earliest slage, In the past stage, withing cares the eller case by resolutio; in the advanced stage, the it is too tale for it brufe, whi cures by stoughing. Probably the disease is such less leable to return, atter collin Prof. Smitt read 50 cases to Prof. T. gale refer ed in some part ofthe body

l'arcon w. Midullares (dur gour tra maheles) shoreger of bright of the, disease y icry in ing. At first mail encysted he wars relled with in the of the colour of consistence ofton ey prolly becoming radular afternards bresenting train after and turnst out being it west, furgous have at day is theston, ing life y tremorrhage Que related of fin going of the believe and by volice // Varcona schirrham it, , and less for isable disease Man Courcin , mitgain . Hore easily curee by estimpation also usuall aj by well e. Carcini, vul. com e es con use by about the arcola of mipple will be drawn in there will be a puckered appearance a line colour se, Marco a schirrhosin commences nor the a large uply looking him or , whother Les bed up, of an orange in college promitisse to the eye) Exercia provides has be write by endide of poleson in.

126 The whole years befordores scoly one-thethe by whine, 12 Species by thoroas Than. one of their day of the day of scal applica. line are only alore of consequence. Sepidosis leponesis leprosy milel cased haves been curio. It every to fec -by authors, but their practice , with suater treatment Leptilosis promusing - a very form dalle duses with concin should be Lichthyasis - irdine pron. ises now then any other disease article Express in peligo van termose Co led selt where other anticles also with are called palt shear, Various cutaneous eruptions, when an an ulcerated of highly coretable state must first be brought to a better state before you canalle pt the cure 11 & Ecpy hispedice lasts dangers - arsenic almost for yours a spicefic it may be assisted by such act of for codine Ecpresi, porrige sculd head iran.

3. aleula is the worst. Prof. J. hus used various, writicle, he has applied linet wid. by a can els hair pencil also on the tiosh. instead of went ind pot for its greater strong Sarconca one of the var. we had beller by while at the Commencer ent of the disenses. It is said to have been cured but y by co ste A. y. & Phil. physician, despaired of him. Car Told put upo him upon comin- , enough to keep his under a very Aroubleson = narcosis. Prof. S. considers it to have been a case of sheur alin-Vodene is applicable to as great a range of diseases on mercury. It has been breed in he palie meser lesio sulevir a healion, with Some benefit, o should be experiented if further It should be tried a Lucy more Then it his. It has been breeze with some benefit in Epslepsy, charen co.

128 Browner userults where, but a weaken Chlorine a destatricent also, not very strong Sabarragine's descriperting liquid which should be calted chloroxiele of calcium useful occurrently for ill conditioned ulcer As he its discussection, power there herein has been brought up a sheetow of print. The story of a sever being spaces, of the workmuss, being knicked liver of after a quartety of disenfecting legues, the atmosphere's been my pure, is easily of siamed - by cross pirulle gases having teni to dis serve. A stending sich poon, is rendered free from small; in love cases. But thench chas not produce closesse. It will not weeter the cur of a dissecting non There is in evidence that I will destroy, the specialis corrugeon of In all pox, measles se 20 up & nuter & ventitulion Whitewashers, is but a four pour prospetule Painting is al. ways beller than white esting. Vile bald of · Fumination & a kter withing an on board of olds

ure en period practices - Vidi Caldwell. Tuning ates + hospitals a requirement the uses & lungs of the potents. Atric Muratie, Atre clericias mild greak deobsetwents adapted t ill condustioned when, secondary stages of expelilisse. They have, like cholories Is while, weak tome properties, just about enough to contrain decate them in Enterine deservey They are useful in various elysthetic affections Chlorides of Baryta Caterine 5 1 Gold . Contoride of calcium is a valuable article in scrapular. All of these are weak dobstonents tohl of Barin is supposed to be stronger. No more hoisten on them the former except that less is required at a dise . In excessive grantity well produce pain i struck legging is peculiar dischar ger et le this char lost of the of sodium is better than

Rube to bria & pure declassion t a valuable emmengagere. labouth in families (Vide familie of Brof J.) y . J grue, 102 mit le 2 perchifuater de 102 20.3 lines willy. Beller que as much as the sterr with will bear without one in ine in unoti, lyspigation, where there is no great exhaustion. Vetrus vulgaris The opporents of muddles think it was pore soribed navely from to alour it focos. D. Noof F. places it next after mercury is value beinen y preferable lo cetter thiouse calarch . Inauhously withan doute they per som daysen by Marcany atrophia varinfarlur - 7000 merded. Others say that it has a lordery be produce alsophy Vertisi, rachea, recour unded by Haller. Cophrime melancholier (monor ance) Halasin shy pochondres by Beerhaare. Paran enie obstonctionis V. smansia, y sa poprovin or obstruction and retention of memores Contradictory betweeny whom this subject

period on . It should be gathered at a suitable time & hept fresh not old y small ment dy) for medical use pet Sumaria officializate debit hat it is adequate to the cure of moderate cure of families , a may be useful a dyspolisio Band Munica cerrhedus (berydale, hugosu) Possesses considerable purgerey i.e. the south beweler . If it , bearing the proper ter a le collect the root, it is in the autumn of the first year of perennal, want like it is ilder Frobally much superior to Fun. eff. 3 Corydalis bulbora & Forydalis glaven is Supposed to have the same properties in I to a, It annual Fur off. who is to belle. 5 'M () y choa Dichetra cuantlaria (les g dales) Dutchn any breechy. The rock consents of taken of the arzes shape of an irange said I closed in a shouth. His sure to be quale active - besig narcolic anody me day refreixa!

133 is well's worthy of envestigation gis a good a syear for an expenie en tal classertation The papaparaceal have an active narcotie the bestone A powers & probably this artele reser by them. The active narché or crof such articles different malerially that of aprice of hyoseyan y. truck freshafe, met gente de pourest. e madder. Ofter a useful anxiliary to mercing It has acquired considerable reportation in subshile for warsa surilla // Decection what medin strught is 202 myt in 4 bints water to be looked to 2 perts the whole to be tok , i 24 hours . Ity profesored on the conline of Europe to Scontodor The boursed west not nater make a lather, sayea substitute for de als Various other plants job possess this property. Brobably a unin takes place of mucelage of al hali

Terophularia Mailar dien leeves 5 roots Considerable popular reputation as an on ment sa cataplear - for piles 1/2+2 rost or leaves it 2 pt 1-ater boiled to 1 pout - the whole in Esphones Scaly esuptions. Choonic Joushelan competions Dyspepsin prochée pravisce are the disease, frank it has expetation. S. ovedoser of Europe is used in Souly comptions de. to the two last. A pure derbstoner t It has the greatest analogy with Simbolo Faravacam Dose lor Edrams Cor 4to, e dupof extract Agr. ochra is supposed to be some elegant. A. suaverleis is found among us of Lunery, Barevine Con ating of Wilde on I der andra of courter Desena creiche (Broker, Buker; Buch,) From Cape F. Appe

Thoubsofn oderate some use all the Disamutacese. The wille whole plant abounds wist pellercid dot which yelled a stoon scented essential vil which's sip. posed to be the active principle. There is to be a pure destruct distin-It is a new certicle, now mentioned with pe. It, spoken of asvalueble in dypopepaine cyclitic work so. Con- placed in where and twother. Strength of Secretion and mentioned He might try 200 to 1 pt. boiling vales I'r M' Sowel pugs this appears to be a un alnable article in elyspetzsia, u proas the appetite of colour ofthy skyings existerated in legality of Inflight bladder. An bladder Theory is a membranific wifl. which is called by the same non. Physicians are apt to confound all observe Ast budder miderne bobeton

yet as it common people are sutestied with the expression disease of the liver. Chronic obennation 's adisease from hich it has been recommended. But precesely what is meant by the , . uncertain - whether chronic when ston a chronic plate ofacete shenration Settie renalis - ensed by st; by affecting the stomach primarily Collinsona Canadersis Organied Horsewed Archangel, Rich. - weed , Stonewell Horsebalton. Medicinal powers reside in the recent shirowa. But it may be trusplanted at anyline of the year. Break discrepany of opinion The precise nature of the presatire effects does seen to be settled among those who employed But this is s true of Sarsupanlla Secretar se. A moderate destate ent, particularly effecting the kinneys. It seems to belong to the class of Apericate devolutioneds - i.e.

those which promote it pluce secretions and I Suiton Me of Traitogs I Hooken think A resembly we losi ; charaplele conjulose. Der about an even labla spenful of the rasped rook. leaden veterinary medicine . I nsed. Devotion mine it properties: Infesion should be a ferred. The roots one of the hardest substances in He materia medici . Lerrosis neurolgia, verybeneficial Coler Sley but gr Eng nog Indian med of think, this produced sort like in ach more in a michanical manner. Jared miller of the Shake think to marker in Phen atulgie. Misplaced nothertic afaction of the kednies. It has a popularfor reputation in dropping The best churchin clone, Leoroding & som keen of keeker Goof Forting to therwise.

Farani stillilla, cle the rurieties & the Pareser of lything very. A palliative in Sethia renals dralei racen esa apereit derbetre. I Arabia aspeda dunffdaarfielder to it is inche It's said to be a Cycle agrique cutarte probably it is not . It is the cus lou to asembe urgulice for protein le mery une le , ever pre n' duse, shirt M't conbing part. I It y un efficient churche. Sive as much as you can what rending of continue it with decress of rollicedes to doubt it is a deabstoner t. I has not 'en experimented or refricer to to ascertar metters it is expectorant (togagogue, se. No norcolie at all. . lot enous thether it was, is streach & lands in a scale & 127 late! continue condition le sques, y tem, i, s not known. This is at receives very services objection to these live last mention in articles Contrea reak 2 or builing auter 1, sinh in 24 hours to 4 fl. oz. dour to 8 lives a lesser holder to 2 to 1 port alashol linet. To a deser holder to the letter than of o.

Courses If 1st Hydrofes cellularis. Fr Reed of 6:41 mases quelicuse, or after quele m in the every other article. tot stimulant - not lovice trule a clophylla of a ohi chema ; were to be highly a pelatien dropping in see day is suit to have the said props. Aralia Spinoder (though it has no thous have to far o kills) from by called Angeleca arborescers hence called angeliese at presint - Very improperly called prickly is Starthough Not indigenous in the Engl. por midde surguer lassitude, et in ito frak frame by apolle drouse es to chip hendation ever thep. It is said sometimes to have forode-Eld gennen articaria Ity emetic said de resemble species In creases the biliary secretion - undoubt. edly chologogen (An Mc Brile, thought I the last of our materies on elies

Aralen racenoses is such to be a seful. beguel of cularch, in premarchin ?) In ple, dispathie cough chrome dipps. noce Sapidese's fatorcate, su petago Contrara dem in the rect, 18the , rol is semarkable for being turnetest where ; a solid hall below) That found in our stop is always in privales six i will lead Carbonote of potusea souche of polassin a that are newtoned and got ferome mate pri cifile, are the products of Compustion, from this and in other cases if the regulable he rasped up the ted with sulphuric acid, no sulphute of potussic, produced. It is called in the book, merely in this. conhertie of level stimulant e.e. un and 1 to ration albur of strychnos , , vor ica are acreamentes, not of that sort of narcities which produces son being; they increase nervery strength of action:

2000 acrid mercotic ! Ek sapeculiar prokapar. e tic sperator - the articles are not necessarily acrie,) 3 en etcl 4 hyprogogue cett. 5 spispaste (storeletory (probably a & seme serfets corclation 1st resolvent 1" chelozogue 3 expectiont 4 denoctio 7 em en goge a Declogoge oc. ensurely especially when alone the north Ordrey not appear to be diaphoretic except by reshverg disease; or in poisonous dose, by greatly hunstin. decated in phlogistic distress, if from the store of for this so at would do no geru. The day not should not be used Formulas nor to 2002. to 1pt. operation inferior Decoction is thought to enjure it. Mist of the regelate alkalies are decomposed at a plonling heat. The famous Ear medicinale of Kris-Son was probably a wine of the sout of Viera. rox. recently down out 2's pts. Aparish in macerate for 10 days ald 1 pist of dix

havis viner spir composition to 3 parts

of this wind weretrun

of this wind weretrun

of this wind, weretrun

way the close - famous in gout is sherentian Debeter inflate The aprechi ap plicate . Prammente lefshoods spiple catole to all the case, where squilly are indicates not upplegable where the stomuch is very irretable. Il Nothritis acute of tuba ente show alian beging without shows atering, und. is allender of ely occusion ally with there makes fever, there is swelling and in the Com mencement the unfling more or less wells, lastice dente rheumation. is an elestrations has our acute fever accompanying it) touse of but a cute when whom whose cured in one neight by tench to belia so pun Arthritis or hern atalque not felorche no forecal ordness and walter; but will topical from alled to neuralgen

This de reage hay been eured in to betin when other articles had failed! Leurenhoen communicity has been sometime, gured and sendines palliuted by this article . A.B. The disease usur of long standing count be cured all at on co Receptive did . Herrica as a substitut for tetucco avanencima It has not been tread very extensively - this way is should be further after dear to ther spines of lobelia appear to possess a senction as emblye of porses, I. Super of Peru is said to course som. thing by the odouralow. I. By fehilitation (I. flera.) huy for been prai-Leck y' condemned by different persons Took Bully condidors I in in doubledly devotatione. enetic & hydrogrape carthitie Hijor. pectoran to (probably deaplerchie) (probably enteringing (dinoche? It has be considered a specific for suppling - much desussion his been

exceled Probably if well care Hiver when lender. Various deabstonests are Inow know to be capable of curing such el's and probably this with. Fire! of has trick it in Pneumounts lyfaturdes 3 thought it equal (fully equal) to Polygula de uga I. Cordenale, hus been reputed to have considerable wellicened poursy it is depotful whether it is worth retining in the materia medica it by fattle ser si qualeties of no great stresteth. I de raumosa The genera a clase and companya and also the preserverys of Rafe ness now now united by Decandolle under under one genny Actaea The worth, Propessoo here touted us to a synsprin of the istolageous, because it is parobably that all ofther are medians Dynonyme, Actaen monogypa w Cinicifugu serpentaria Mesologo

despentaria + Ein. racemosa There so top Actueids. Vulgarnamy Black cohest the heat. Narious wricles are called copiech. At Cornelicis herb crystofol. Ther well tich weed son so. Arnet, plants have the name of snake not. Seortice Thelictroides is. called blee cohosh's is commonly role for this article. The root of danie. ula mary Egude cu is often mislaken for it - both being called black make root. Active buton and packybode are lekewise often midleten for A. racemora. No satisfactory analysis has been mude. Decidedly wire poverfully nurcotic. This not not frelience examply ne or exporifie - thought it is decidedly antin-situal - wither respect to hear dryness of sken It loust 40% annecessary to selwale 1 pt alcohol sp. gr. . 835.

It is moderatet, nervin (2 robably) - as Prof T. think, he hasken it produce schiliration and subdelimin u elilaren It does undoubtedly possess of remarker propert, of producing figition neurader pains in the extremition, 5 whompsuderal in the scratic nerve. Concion newsellatura Wontrary to the general rule, the plant is most active (not when the flowers, a just ofsering) I when the flowers as weathering! Water is an ing proper menstrum. Alcohol and other only should be used The etherial tinchere evaporated upon water, leaves a a rich water, which has the small and medicinal Age destroys the virtue of the plant. Commen is a destationent of expecially rabuble as bing also norcotic.

Do March took in 5 hours 18 ger. a at first he at second 4 at their & 8 at 4th It was a occurt extract. First sensations were pleasurable, Secondly incocased action of the stone ach and duodenn - pleaserableals. - Next vertigo - in leatheress is walking with a sensation of greater una mess then really existed. The pupil was metroal in saze - but not affection to and nor clarkness. Appetitized slept well at might. The next day in the afternoon he was affected with langue. I traducte which prevented his pleeps that might Next day be way serfecthe weep well.

146 183182 relieben charge, Enget darodynia ara entstetele for the forcefor and recte, which may be murly or quete subserseded by Enget. Dr Read thinky that the force /2, show at to the like of the mother (otible) Paredymen De cunda sin - houry luss contraction of the aleny (which you I has seen in co-sultation though its existence is decreed by sor -) The clave vill estore the natival contraction. Parodynia segurdaria vas relectiva relection of the placenta a perfect hund of the account ar. In both these cases the ander of chinas , condemned apor therocked weirs by writer in the perudicely. tarally we accordance variety have or shape

in is as at the clavery should be y en ey a preventine . Go. Reed before the delivery of the head of the child on account of the clarger to the ent of hedita. Hardynie doorne afterpain, Par. Leun. var. Cochialis. Whenever there is along of the whom, Ion suppose that it will not ack after the delivery of the child, but Tul-I has nowed known it back of Expelling it in to the value of Ites expedicion car not la accomplishe by the affects of the whom.

Very lette wore is given in the books

a, with promulgation by too. Manon, I'm article is applecable to a enter variet, of cases. This herostage at full to a dangering at who orceop , we and not work les pains to ci-

for the clave, a thout delay this is not covered. Dr. fleurn, does not give it they nature is lekely to acceed It had better be give men any cases to save pain and scotice. sary to produce velexution He give it ing a sule or of is delated to the size of a dollar pay no regard to to such write to the office of expedences being com are by this. bee sen Holland 14/47 Ek. y used believe Dr Henris jubhistor a Pennsylvania i ty a practitioner i It. Sondon bout 1, 60.

De Steern herd of the succession to har up of son & colds women. Itis said to have been and used in Trances of to have been prohibeled a sout 17711. relevation mayding is and to produce trade in new and in In in, and in the latter on well as in newly producing a paralete qui. Her, aretraile to lay 1998. att ut shelly owing to premater delinery. To be dogg, mon begg ve. ares indescrated by its markotic , perties These thing are in S.A. h, butly H. an foren et de varios 12 couston


(/ Jam. 183/ 5) descending so/2 of the taparer consisper -, experce parely hour noting of of way known in Mon or, this water the nan of Nepenthe gray know used then and after and at They of way week ag it is now in the East, us a kind of lugary Extracted cetter by inchions Met 11 the successively the tops Atta plan to h the prosess at premaper or a lonocoon breadate of a vople (or by an absented botale go a mainer hi neson peter for orfoling Menic and was disal disarren and it project at foreight a then selled be meet at off or place Afterwards, exclined on els conered to be At. acid: garleon was or is called used in & A . were in called todie!! Pully Surarch the interchanged the vary from is


the next proximate princefel is rascettere or Nascotin Non analysts describe a biller e, tractive principle, its collece, new drubtful peble of producing to opports in health and in disease. ingle, ile was postuce " tireness, yet it web was the liver increasing & its secretioprotably from the cause it is the the pulatical use of open does not produce constitution (pin undon bladl, counter. acts the entereculing expeating alco had. Ir also Alcohol Counterants the alter at narcosis of Open In died lott of these whiles are con bracked by I as to their alteration Gelser und Atten porc nor.


(1830-1.) 11 of the section of rdate 1.3. with will it is to the format of the format Voluce acil de projet no jes on to de liker for the second ver putille 1. fied following the state of the are not himselfile a formation 1) were also of tellines in with - in it To batter atter quart me for the A salle land was well and Lording by the total of the state of I recular en talent " 12. " I Week are at a atter- 17 miles , anouth ne oc. we refuse reducinal act of hat may dece pose the writeles


15 \$ 5 man 1 - 1 1 1 m 1 m 1 left boder es a cala polacell or pleasurable sendalis val · rest i crease of fire or fell in, the latter part of the ter - 20 next day larger we A 1 appetite sea. in fler lose, nonsea i pagastrace ensines to. It do inisting the bit. purcho le a produce , Coll my the present of along five


o pline is in the second - Leve to fuzi - deallection up to the sty of wale hyerdi cutes of live at 1 1 file - 1 - 3 Pale, up of we ler s/ The total and the second of th Guld A Pin this recet o the feet of of 3 minsp of the most prove fel superifice Survey de not rappent to Judalire og a tirm applied to grant of they I wan the state of the the he late of Svaler of we are alocke a 1 the most perful and use full effect,

































1 Clarent was the second immlertia de l'ins was the many that the Carried the state of the same reference to a figure while & This Rest to Fu They to present the other thanks 1121 1-12 + 10 - 1- - 12 F. him complete and a set in the and still at 18 - 11 may formating the off when I end a felong and at the way there is of apriliary to be to the Knowsky de 2 of and and

the the second that may be hours a Madrie VI town Enjoy du done he most mideli Center-y de- 1 Hammer - 1 uli to U' " record or xt Der ment conce Lobert 1 - Charles San sunting was a surge when La- 3 what, well to have been been my

We be the work of the second en et le francisco (Show a super a port of the External Jashie - - - Ofen Magathe The Marking 2 may 70 clodes - the three spender . The same of the same · he dising wing the war in we of bing distant hours to a week to I willies the water of an intelle a way to or a the the state of Cur be for or Endled in lain a set to any letter

1734-11/2 ----1 is the second of the second an of the week to it is to so. Toute alego with the form. returning to at and a ward the property of the a love of the love of the love

 $\begin{array}{lll} \underline{\text{Ives.}} & \underline{\text{Tully.}} & \text{Vol. 10.} \\ \underline{\text{National Library of Medicine}} \\ \underline{\text{Bethesda, MD}} \end{array}$

Condition On Receipt: The half leather and decorated paper binding was extremely dirty, worn, abraded, deteriorated and powdery, particularly at the corners, edges, endcaps and joints. The joints and internal hinges were partially broken. The sewing was loose in places, and several of the pages were detached from the text block. The pages were torn, dirty, discolored, acidic, weak and brittle. The manuscript inks present were acidic and varied in intensity.

Treatment: The volume was collated and disbound. The inks were tested for solubility. The head, tail and pages were dry cleaned and washed and then buffered (deacidified) with magnesium bicarbonate solution. Tears were mended and folds guarded where necessary with Japanese paper and rice starch paste. The volume was sewn on linen tapes with linen thread. Windsor handmade paper ends with a linen hinge were attached. The volume was case bound in full cloth. Title information and lines were stamped in gold foil onto the spine.

Northeast Document Conservation Center April 1986 SO:SO/JN/MW

